

Drinking and tap water quality analysis for human consumption: (A case study of Nawabshah city, Pakistan)

Faheem Akhter Shaikh¹, Aamir Ali², Abdul Haseeb³

¹⁻³ Department of Chemical Engineering, Quaid-e-Awam University of Engineering, Science & Technology
Nawabshah, Pakistan

Abstract

The quality of water is of the utmost importance and vital concern for the human beings since it has a direct link with the human health and welfare. If the drinking water or tap water gets contaminated, it can result in severe health problems. For example, if the drinking water contains over the limit amount of fluoride then it can lead to bone deterioration and other bone related problems. The purpose of the present study was to carry out quality analysis of drinking and tap water in Nawabshah City. The analyzed parameters were pH, TDS, Total Alkalinity, Total Hardness, Calcium Hardness and Electrical Conductivity. World Health Organization (WHO) standards were followed in the present study. Total of 18 drinking water and tap water samples were collected from 6 different locations in Nawabshah city. The parameters that appeared to be within the limits are PH and total alkalinity whereas TDS, total hardness, calcium hardness and electrical conductivity crossed W H O standard limits at some locations.

Keywords: water quality, physiochemical analysis

1. Introduction

One of the core factors for a healthy life is the safe drinking and tap water. Underground and tap water are our two main water sources. Underground freshwater only comprises of 3% which is used approximately by 1.5 billion people for drinking [2]. According to one of the estimates 17% of the world population is drinking and consuming the water that is unsafe for the health, only 32% consume from safe water sources and the remaining 51% from pipe supply systems [3]. In Pakistan, unsafe drinking water is responsible for 40% of all deaths, 30% of all diseases and deaths of infants [4]. So many of the water borne diseases are directly linked with polluted water consumption like malaria, Diarrhea, intestinal worms, anemia etc. Industrial waste, agrochemical disposal and discharge of untreated effluents have post to be the leading causes of the contamination in groundwater [5]. Unfortunately, Pakistan lacks the surveillance and monitoring programs to verify the quality of drinking water and the situation gets worse when we consider the pathetic institutional and government arrangements. The purpose of the present study is to analyze the different quality parameters of drinking as well as tap water in Nawabshah city, compare the obtained results with WHO standards and recommend the necessary measures to be considered.

2. Materials and Methods

2.1 Study Area and Sampling Locations

Nawabshah is old name of Shaheed Benazir Abad District of Sindh province, Pakistan. It is the headquarters of the Shaheed Benazir Abad District with a population of 1,135,131. It is located 26.25 latitude and 68.41 longitude with an elevation of 34 meters above sea level. Population wise, it is the 6th biggest in Sindh Province and therefore roughly the geographic center of it. In this city, 80% of the drinking water comes from surface source.

2.2 Water Sample Collection

Total of eighteen drinking water and tap water samples were collected specifically from both surface and ground water sources. Four samples were collected from each source from areas Quest Hostel, Bhangwar colony, Sanghar Road and New Naka. Two samples were collected from Canal water source including Rohri canal and Gajra Wah. Sampling locations were selected from the main population zone and samples were taken in sterilized polythene (1.5L) bottles, labeled with location names, point of source, type of water sample, date and time and kept at room temperature. In QUEST Hostel, two of the male student dormitories were selected, named as Block A and Block H. Two samples of tap and drinking water were collected from each dormitory block. Two local houses were selected in Bhangwar colony from where two samples of tap and drinking water were collected from each house. From Sanghar Road and New Naka, two houses and two public hotels were selected for each location. Each selected house and public hotel was collected with tap and drinking water samples.



Fig 1: Different Samples of Drinking and Tap Water




Fig 2: Sampling Locations

Table 1: Sampling Location Names

Location Number	Location Name
1	Gajra Wah
2	Bhangwar Colony
3	Sangha Road
4	New Naka
5	Rohri Canal
6	QUEST Hostel

Table 2: Water Type from Sampling Locations

Sample number	Type of water	Location
1	tap water	quest hostel
2	drinking water	quest hostel
3	tap water	quest hostel
4	drinking water	quest hostel
5	canal water	gajra wah
6	canal water	rohri canal
7	tap water	new naka
8	drinking water	new naka
9	tap water	new naka
10	drinking water	new naka
11	tap water	bhangwar colony
12	drinking water	bhangwar colony
13	tap water	bhangwar colony
14	drinking water	bhangwar colony
15	tap water	sanghar road
16	drinking water	sanghar road
17	tap water	sanghar road
18	drinking water	sanghar road

2.3 Parameters Tested

Present study comprises of the 7 water quality parameters that were analyzed of the collected samples. All the testing of the parameters was accomplished at the Laboratories of Energy & Environment Engineering Department, QUEST Nawabshah. Table III enlists the equipment that were used for analysis.

Table 3: List of Equipment used

Apparatus Name	Model Number
pH Meter	Model 215
TDS	Model 651
Total Alkalinity	-
Total Hardness	-
Calcium Hardness	-
Magnesium Hardness	-
Electrical Conductivity	GMH 3430

Table 4: WHO Standards for Drinking Water

Parameters	Permissible Limits (by WHO)
Temperature	30°C
Odour	Unobjectionable/odorless
PH	6.5-8.5
Hardness	500mg/l
Total Dissolved Solids	1500mg/l
Turbidity	5NUT
Conductivity	120YS/cm ³
Chloride Ion	250mg/l
Alkalinity	100mg/l
Colour	15TCU
Appearance	Clear
Bacteriological	
Coliform	Nil/100ml
E.Coli	Nil/100ml

3. Results and Discussion

Table IV shows the WHO standards for drinking water. Benchmarks of the present study results are made against these standards.

3.1 pH

pH basically is the extent of the hydrogen ion concentration in a solution. It measures the acidity or basicity of an aqueous solution. The values of pH indicate whether a solution is acid, base or neutral. Total range of values is 0-14 where 7 specifies neutral. Below 7 is acid whereas above 7 postulates basicity [6]. WHO recommends pH value of drinking water to within the range of 6.5-8.5. Figure 3 reveals the obtained pH results of 18 drinking and tap water samples collected from 6 different locations. The obtained values of all the locations are well within the limits of WHO standards. The highest pH value appeared in the sample no. 5 which is the canal water collected from Gajra wah as shown in Table II. This may have been caused by the presence of agrochemicals such as plant nutrients and fertilizers in the locality [7, 14]. Buffering capacity as well as catchment of location's geological structure have an impact over pH values of the water also.




Fig 3: pH results of 18 samples taken from 6 locations in Nawabshah City

3.2 Total Dissolved Solids (TDS)

Total Dissolved Solids measures the presence of organic and inorganic substances dissolved in liquid. It can comprise of salts, heavy metals and some traces of organic compounds

dissolved in water [8]. The standard value proposed by WHO is 1000 mg/L. Water that has high amounts of TDS than WHO standard can have lethal and adverse effects on human health [9]. Measured values of the locations are shown in Figure 4. All the values are well under the WHO standard limits except locations 8[D], 11[T] and 12[D]. 8[D] is the drinking water sample collected from New Naka, 11[T] shows the tap water from Bhangwar Colony whereas 12[D] is the drinking water sample also from Bhangwar Colony. Results show that the 2 samples out of 4 collected from Bhangwar colony exceed the desired TDS limits. Similarly one other drinking water sample from New Naka had not only exceeded limit but also the highest of all the samples. The most possible reason for such high TDS in the region may be the uncontrolled wastewater outflows from both domestic and industrial domains. Such domains consequently pollute the groundwater [10].




Fig 4: TDS results of 18 samples taken from 6 locations in Nawabshah City

3.3 Total Alkalinity

Total alkalinity is the total concentration of bases and Total Dissolved Solids (TDS) in water expressed as parts per million (ppm) or milligrams per liter (mg/L) of calcium carbonate (CaCO₃). The WHO standard limit in water is 500 mg/L. Low alkalinity can decrease the pH of water by increasing its sensitivity whereas High alkalinity may increase the pH. It can also result in scale formation [11, 15]. The results of Total Alkalinity are shown in Figure 5. All the values obtained from all 18 samples are below the WHO standard limit which shows that the drinking and tap water in all the 6 locations have within limit concentration of bases and TDS.




Fig 5: Total Alkalinity results of 18 samples taken from 6 locations in Nawabshah City

3.4 Total Hardness

Total hardness measures the mineral content in water sample that cannot be reversed by boiling. It is sum of calcium and magnesium hardness in drinking water. The maximum limit set by WHO for total hardness is 500 mg/L. Water with higher values of total hardness than WHO limit may have adverse health impacts on humans if consumed [12]. Figure 6 shows the total hardness of 18 samples collected. All other samples were within the limits except 3; 9[T], 11[T] and 12[D]. The highest value was observed in 9[T] which refers to the tap water sample collected from New Naka. Other sample that requires attention is the sample 12[D] which is the drinking water sample collected from local house in Bhangwar Colony. This house has been consuming drinking water with high amounts of mineral contents which may result in health issues for that house residents.




Fig 6: Total Hardness results of 18 samples taken from 6 locations in Nawabshah City

3.5 Calcium Hardness

Calcium hardness refers to calcium imbalance in water. It is the sum of all the calcium dissolved in water. WHO standard limit for calcium hardness is 200 mg/L. Figure 7 shows the results of obtained calcium hardness values. Three locations, 9[T], 11[T] and 12[D] were found to have higher than standard limits of calcium hardness whereas three locations; 10[D], 13[T] and 14[D] appeared on the borderline of the limit. All the remaining samples were found to be below the standard limit.




Fig 7: Calcium Hardness results of 18 samples taken from 6 locations in Nawabshah City

3.6 Magnesium Hardness

Finding magnesium hardness is an easy task after finding values of total hardness and calcium hardness. If we have two

values we can find the third value. We have calculated the value of magnesium hardness by following method.

$$\text{(Total Hardness (H) = Calcium H + Magnesium H)}$$

So, magnesium hardness will become,

$$\text{Magnesium hardness} = \text{Total hardness} - \text{calcium hardness}$$

Figure 8 shows the acquired results of the samples. The results are a bit shocking as compared to values of other parameter results because this test showed a total of 8 locations with higher than permissible amounts of magnesium hardness. Of all the parameters tested in the present study, this test has the highest number of locations with impermissible values. Location with the highest impermissible value was 11[T] which refers to Tap water sample collected from a selected house in Bhangwar colony. Higher magnesium hardness in water contributes to hard water. Continuous consumption of hard water may affect health severely like causing cardiovascular diseases, Cerebrovascular Mortality and even cancer [16].




Fig 8: Magnesium Hardness results of 18 samples taken from 6 locations in Nawabshah City

3.7 Electrical Conductivity

The electrical conductivity was measured with digital conductivity meter. As shown in the figure 8, five samples exceeded the limits, two samples appeared on the line of limit and the remaining 11 samples showed satisfactory results. The exceeding values of EC indicate the sum of cation (or anion), or in other terms, the total concentration of salts. Higher temperature also makes the water prone to having higher value of EC [13].




Fig 9: Electrical Conductivity results of 18 samples taken from 6 locations in Nawabshah City

4. Conclusions

It was concluded that overall quality of drinking and tap water was quite satisfactory as the values of most of the samples were within the limits. The only samples that showed higher values than permissible limits in almost all the tests were samples 9[T], 11[T] and 12[D] respectively. Based on the results of this study, it is recommended that location numbers 9[T], 11[T] and 12[D], which refer to Tap water sample of New Naka; Tap water sample of Bhangwar Colony & Drinking water sample from Bhangwar Colony, must be examined thoroughly and possible remedial measures should be taken.

5. Acknowledgement

Authors are thankful to the faculty of Energy and Environment Engineering Department for their assistance and support.

6. References

- Buamah R, Oduro CA, Sadik MH. Fluoride removal from drinking water using regenerated aluminum oxide coated media. *Journal of Environmental Chemical Engineering*. 2016; 4(1):250-258.
- Mekonnen Mesfin M, Arjen Hoekstra Y. Four billion people facing severe water scarcity. *Science advances*. 2016; 2(2):e1500323.
- Susko Michele L, *et al.* Low-level arsenic exposure via drinking water consumption and female fecundity-A preliminary investigation. *Environmental Research*. 2017; 154:120-125.
- Khan Kifayatullah, *et al.* Prevalent fecal contamination in drinking water resources and potential health risks in Swat, Pakistan. *Journal of Environmental Sciences*. 2018; 72:1-12.
- Brahman Kapil Dev, *et al.* Exposure of children to arsenic in drinking water in the Tharparkar region of Sindh, Pakistan. *Science of the Total Environment*. 2016; 544:653-660.
- Mintinig SM, *et al.* Low numbers of microplastics detected in drinking water from ground water sources. *Science of the total environment*. 2019; 648:631-635.
- Barmentlo Henrik S, *et al.* Assessing combined impacts of agrochemicals: Aquatic macroinvertebrate population responses in outdoor mesocosms. *Science of the Total Environment*. 2018; 631:341-347.
- Devesa R, Dietrich AM. Guidance for optimizing drinking water taste by adjusting mineralization as measured by total dissolved solids (TDS). *Desalination*. 2018; 439:147-154.
- Sharma Amit, *et al.* Impact of total dissolved solids in drinking water on nutrient utilisation and growth performance of Murrah buffalo calves. *Livestock Science*. 2017; 198:17-23.
- Abdurahman, Shemsu Gulta, Moltot Zewdie. Fluoride ion and total dissolved solid distribution in Ethiopian Rift valley: The case of Hawassa city aquifer. *Journal of Hydrology: Regional Studies*. 2018; 19:240-249.
- Zhang, Hui, *et al.* Concentrations and potential health risks of strontium in drinking water from Xi'an, Northwest China. *Ecotoxicology and environmental safety*. 2018; 164:181-188.
- Lanz, Bruno, Allan Provins. The demand for tap water quality: Survey evidence on water hardness and aesthetic quality. *Water Resources and Economics*. 2016; 16:52-63.

13. Zawrah MF, *et al.* Stability and electrical conductivity of water-base Al₂O₃ nanofluids for different applications. *HBRC Journal*. 2016; 12(3):227-234.
14. Pansini, Michele, *et al.* Novel process to prepare magnetic metal-ceramic nanocomposites from zeolite precursor and their use as adsorbent of agrochemicals from water. *Journal of environmental chemical engineering*. 2018; 6(1):527-538.
15. Kovač, Ankica, Doria Marciuš, Luka Budin. Solar hydrogen production via alkaline water electrolysis. *International Journal of Hydrogen Energy*, 2018.
16. Sengupta, Pallav. Potential health impacts of hard water. *International journal of preventive medicine* 4.8 (2013): 866.